

Message

---

**From:** Cirian, Mike [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=98D0FD2CBB3F4F25B819C6929E18D08D-CIRIAN, MIKE]  
**Sent:** 3/7/2017 3:55:45 PM  
**To:** Michael Ritorto [mritorto@rouxinc.com]  
**CC:** John.Stroiazso@glencore-ca.com  
**Subject:** RE: CFAC SAP Modification #9

That's fine. Proceed with mod #9

Mike

Mike Cirian, PE  
Libby On-site Project Manager  
US EPA  
108 East 9th Street  
Libby, MT 59923  
(406) 293-6194 Office


---

**From:** Michael Ritorto [mailto:mritorto@rouxinc.com]  
**Sent:** Tuesday, March 7, 2017 6:24 AM  
**To:** Cirian, Mike <Cirian.Mike@epa.gov>  
**Cc:** John.Stroiazso@glencore-ca.com  
**Subject:** RE: CFAC SAP Modification #9

Hi Mike,

Just checking in on this. We are starting the March sampling event next week, so I just wanted to make sure our revisions were ok with you.

**Michael Ritorto | Principal Hydrogeologist/Office Manager | Roux Associates, Inc.**  
209 Shafter Street, Islandia, NY 11749  
Main: 631-232-2600 | Direct: 631-630-2370  
Email: [mritorto@rouxinc.com](mailto:mritorto@rouxinc.com) | Website: [www.rouxinc.com](http://www.rouxinc.com)



*Solving Complex Environmental Challenges for Clients Nationwide*

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

---

**From:** Michael Ritorto  
**Sent:** Thursday, March 02, 2017 5:32 PM  
**To:** 'Cirian, Mike' <Cirian.Mike@epa.gov>

**Cc:** [John.Stroiazza@glencore-ca.com](mailto:John.Stroiazza@glencore-ca.com); [swright@cfaluminum.com](mailto:swright@cfaluminum.com); Andrew Baris ([abaris@rouxinc.com](mailto:abaris@rouxinc.com))  
<[abaris@rouxinc.com](mailto:abaris@rouxinc.com)>; Laura Jensen <[ljensen@rouxinc.com](mailto:ljensen@rouxinc.com)>

**Subject:** RE: CFAC SAP Modification #9

Mike,

In light of our discussion yesterday and Erin's comments, we have revised SAP modification #9. We are proposing to perform the free-cyanide analysis at all sampling locations where total cyanide was detected during Round 1 and/or 2 of sampling.


Please see the attached revised document. If you agree, please sign and return. Thank you

**Michael Ritorto | Principal Hydrogeologist/Office Manager | Roux Associates, Inc.**

209 Shafter Street, Islandia, NY 11749

Main: 631-232-2600 | Direct: 631-630-2370

Email: [mrirtorto@rouxinc.com](mailto:mrirtorto@rouxinc.com) | Website: [www.rouxinc.com](http://www.rouxinc.com)



*Solving Complex Environmental Challenges for Clients Nationwide*

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

---

**From:** Cirian, Mike [<mailto:Cirian.Mike@epa.gov>]

**Sent:** Monday, February 27, 2017 6:07 PM

**To:** Michael Ritorto <[mrirtorto@rouxinc.com](mailto:mrirtorto@rouxinc.com)>

**Subject:** FW: CFAC SAP Modification #9

Hello Michael,

Please take a look at Erin's (CDMs) comments in regards to Mod 9. We can discuss this Wednesday Morning.

Thanks

Mike

Mike Cirian, PE

Libby On-site Project Manager

US EPA

108 East 9th Street

Libby, MT 59923

(406) 293-6194 Office

---

**From:** Formanek, Erin

**Sent:** Monday, February 27, 2017 10:55 AM

ED\_002345C\_00007219-00002

**To:** Emilsson, Gunnar <[EmilssonGR@cdmsmith.com](mailto:EmilssonGR@cdmsmith.com)>

**Subject:** RE: CFAC SAP Modification #9

Gunnar,

Typically, total cyanide is analyzed and if there are exceedances of screening values, then analysis of samples for free cyanide would be appropriate. However, I do have some criticism of the mod. It is stated that locations that have one or more exceedances of the DEQ-7 value for cyanide will have analysis of total and free cyanide in the next round of sampling. DEQ-7 is not the most conservative screening value, the EPA tapwater RSL is the lowest value. Because we have not yet been able to view the data, I am not certain if there are other locations that should be identified for free cyanide analysis when using the most conservative screening value. There is a large difference between the DEQ-7 value (200 ug/L) and the EPA tapwater RSL (0.15 ug/L). I expect there are other locations that should have this analysis performed. Why has DEQ-7 been chosen to select locations? Rationale should be provided in the mod for the selection of DEQ-7 as the screening level of choice.

Please let me know if it would be helpful to discuss this.

Thank you,  
Erin

---

**From:** Emilsson, Gunnar

**Sent:** Monday, February 27, 2017 9:31 AM

**To:** Formanek, Erin <[formanek@cdmsmith.com](mailto:formanek@cdmsmith.com)>

**Subject:** FW: CFAC SAP Modification #9

Hi Erin:

Any thoughts on free vs. total cyanide analysis. The question in the attached request seems to be one of risk.

Thanks,  
Gunnar

---

**From:** Michael Ritorto [<mailto:mritorto@rouxinc.com>]

**Sent:** Tuesday, February 21, 2017 3:50 PM

**To:** Cirian, Mike <[Cirian.Mike@epa.gov](mailto:Cirian.Mike@epa.gov)>

**Cc:** Hoogerheide, Roger <[Hoogerheide.Roger@epa.gov](mailto:Hoogerheide.Roger@epa.gov)>; John.Stroiazza@glencore-ca.com; Steve Wright - CFAC <[swright@cfaluminum.com](mailto:swright@cfaluminum.com)>; lidewitt@mt.gov; cowen@mt.gov; repinedl@cdmsmith.com; Andrew Baris <[abaris@rouxinc.com](mailto:abaris@rouxinc.com)>; Laura Jensen <[ljensen@rouxinc.com](mailto:ljensen@rouxinc.com)>

**Subject:** CFAC SAP Modification #9

Hello Mike,

Please see the attached SAP Modification #9 which describes additional sampling that CFAC/Roux is proposing to complete during the next groundwater and surface water sampling event. Please let me know if you have any questions.

**Michael Ritorto**

**Senior Hydrogeologist | ROUX ASSOCIATES, INC.**

209 Shafter Street | Islandia, New York 11749

Direct: (631)630-2370 | Mobile: (631)445-4576

Email: [mritorto@rouxinc.com](mailto:mritorto@rouxinc.com) | Website: [www.rouxinc.com](http://www.rouxinc.com)

*We solve our clients' most challenging environmental problems.*

Follow us on:     Check out our blog: 